

# **JANUARY**

	Clean turnace filter and heat recovery ventilator (HRV)
	Check furnace fan belt
	Check water heater
	Check exhaust fans
	Clean humidifier
	Remove snow and ice from roof overhang/vents
	Check and reset ground fault circuit interrupter (GFCI)
	Test smoke alarms and carbon monoxide detector
N	OTES



### **FEBRUARY**

- □ Clean furnace filter and HRV
- □ Check inside surfaces
- Remove snow and ice from roof overhang/vents
- □ Check and reset GFCI

NOI	E3			



# **MARCH**

	Clean furnace filter and HRV
	Check attic
	Check sump pump (if installed)
	Clean humidifier
	Remove snow and ice from overhang and vents
	Check and reset GFCI
	Test smoke alarms and carbon monoxide detectors
N	OTES



# **APRIL**

	Check eavestroughs and downspouts
	Clean furnace filter and HRV
	Clean humidifier
	Inspect basement or crawl spaces
	Check roof for loose or cracked shingles
	Check driveways and walks for frost damage
	Check water heater for leaks
	Turn on exterior water supply
	Plan landscaping to avoid soil settlement and water ponding
	Check and reset GFCI
	Test smoke alarms and carbon monoxide detectors
N	OTES



# MAY

	Inspect tences
	Check caulking for air and water leaks
	Lubricate weatherstripping
	Check exterior finishes
	Check windows and screens are operating properly
	Check septic system (if installed)
	Check and reset GFCI
	Test smoke alarms and carbon monoxide detectors
NO	OTES
_	



# JUNE

	Inspect air conditioning
	Check roof
	Check sheds and garages
	Check sealing around windows and doors
	Check septic system and clean if necessary
	Fertilize lawn
	Check water heater
	Check and reset GFCI
	Test smoke alarms and carbon monoxide detectors
NO	OTES



### **JULY**

- Air out damp basements on dry, sunny day
  Clean air conditioner
  Check exhaust fans
  Check water heater for leaks
  Check and reset GFCI
- □ Test smoke alarms and carbon monoxide detectors

NOTES



### **AUGUST**

- □ Clean air conditioner filter
- □ Air out damp basements on dry, sunny days
- Inspect driveways and walks
- Inspect doors and locks
- □ Check and reset GFCI
- □ Test smoke alarms and carbon monoxide detectors

NOTES



# **SEPTEMBER**

	Check exterior finishes
	Check garage door tracks and lubricate bearings
	Check caulking for air and water leaks
	Plant new lawn
	Check fireplace and chimney
	Check basement or crawl spaces
	Have humidifier, furnace and HRV serviced
	Check clothes dryer vent
	Check and reset GFCI
	Test smoke alarms and carbon monoxide detectors
NO	OTES
_	

NOTES

### MONTHLY CHECKLIST ITEMS

# **OCTOBER**

Check windows and screens
Drain exterior water lines
Check roof including shingles, flashing and vents
Check weatherstripping
Check sealing around windows and doors
Check septic system
Winterize landscaping and remove leaves
Clean furnace filter and HRV
Clean water heater
Shut off exterior water supply
Check eavestroughs and downspouts
Clean humidifier
Check and reset GFCI
Test smoke alarms and carbon monoxide detectors



# **NOVEMBER**

	Turn on humidifier
	Check attic
	Inspect floor drains to ensure trap is filled with water
	Clean furnace filter and HRV
	Check for condensation and humidity
	Check and reset GFCI
	Test smoke alarms and carbon monoxide detectors
N	OTES



### **DECEMBER**

- □ Check air ducts
- Check for excessive snow on roof
- □ Clean furnace filter and HRV
- □ Clean humidifier
- □ Check and reset GFCI
- □ Test smoke alarms and carbon monoxide detector

NOTES